

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
-- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Antimony Treated (LN)	Arsenic Treated (LN)	Barium Treated (LN)	Beryllium Treated (LN)	Cadmium Treated (LN)
1	HRD	0.21	-1.5606	< 0.02	-3.9120	1.76 0.5653
2	HRD	0.01	-4.6052	< 0.02	-3.9120	1.6 0.4700
3	HRD	< 0.1	-2.3026	< 0.02	-3.9120	< 0.001 -6.9078
4	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.58 -0.5447
5	HRD	0.01	-4.6052	< 0.02	-3.9120	0.55 -0.5978
6	HRD	0.13	-2.0402	0.02	-3.9120	2.05 0.7178
7	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.52 0.4187
8	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.4 -0.9163
9	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.64 -0.4463
10	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.52 0.4187
11	HRD	0.13	-2.0402	< 0.02	-3.9120	1.63 0.4886
12	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.86 -0.1508
13	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.69 -0.3711
14	HRD	0.18	-1.7148			1.34 0.2927
15	HRD	< 0.01	-4.6052	< 0.02	-3.9120	< 0.001 -6.9078
16	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.53 0.4253
17	HRD	0.02	-3.9120	< 0.02	-3.9120	0.38 -0.9676
18	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.45 -0.7985
19	HRD	0.11	-2.2073	< 0.02	-3.9120	2.13 0.7561
20	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.98 -0.0202
21	HRD	0.23	-1.4697	0.03	-3.5066	1.75 0.5596
22	HRD	0.12	-2.1203	< 0.02	-3.9120	4.94 1.5974
23	HRD	0.01	-4.6052	< 0.02	-3.9120	1.39 0.3293
24	HRD	< 0.1	-2.3026	< 0.02	-3.9120	2.67 0.9821
25	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.99 0.6881
26	HRD	0.25	-1.3863	0.02	-3.9120	1.65 0.5008
27	HRD	0.1	-2.3026	< 0.02	-3.9120	2.84 1.0438
28	HRD	0.21	-1.5606	< 0.02	-3.9120	2.2 0.7885
29	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.92 -0.0834
30	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.62 -0.4780
31	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.94 0.6627
32	HRD	< 0.1	-2.3026	< 0.02	-3.9120	2.12 0.7514
33	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.5 -0.6931
34	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.66 0.5068
35	HRD	0.12	-2.1203	< 0.02	-3.9120	1.74 0.5539
36	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.61 0.4762
37	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.29 -1.2379
38	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.35 0.3001
39	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.39 0.8713
40	HRD	0.01	-4.6052	< 0.02	-3.9120	0.5 -0.6931
41	HRD	0.16	-1.8326	0.02	-3.9120	2.19 0.7839
42	HRD	0.16	-1.8326	< 0.02	-3.9120	2.76 1.0152
43	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.04 0.0392
44	HRD	0.21	-1.5606	< 0.02	-3.9120	2.71 0.9969
45	HRD	0.02	-3.9120	< 0.02	-3.9120	0.45 -0.7985
46	HRD	0.1	-2.3026			1.89 0.6366
47	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.71 0.5365
48	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.32 0.2776
49	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.7 0.5306
50	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.77 -0.2614
51	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.62 0.4824
52	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.37 0.3148
53	HRD	0.13	-2.0402	0.02	-3.9120	3.19 1.1600
54	HRD	0.07	-2.6593	< 0.02	-3.9120	1.46 0.3784
55	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.63 0.4886
56	HRD	< 0.01	-4.6052	< 0.02	-3.9120	3.1 1.1314
57	HRD	0.17	-1.7720	< 0.02	-3.9120	2.3 0.8329
58	HRD	0.16	-1.8326	0.02	-3.9120	2.25 0.8109
59	HRD	< 0.01	-4.6052	< 0.02	-3.9120	< 0.001 -6.9078
60	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.06 0.0583
61	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.75 0.5596
62	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.62 0.4824
63	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.26 0.8154
64	HRD	0.06	-2.8134	0.03	-3.5066	1.42 0.3507
65	HRD	0.07	-2.6593	< 0.02	-3.9120	2.11 0.7467
66	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.35 0.3001
67	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.65 0.5008
68	HRD	0.03	-3.5066	< 0.02	-3.9120	< 0.001 -6.9078
69	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.58 0.4574
70	HRD	< 0.1	-2.3026	0.02	-3.9120	0.61 -0.4943
71	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.64 -0.4463
72	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.58 0.4574
73	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.62 -0.4780
74	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.41 0.8796
75	HRD	< 0.01	-4.6052	< 0.02	-3.9120	4.05 1.3987
76	HRD	< 0.1	-2.3026	< 0.02	-3.9120	2.47 0.9042
77	HRD	0.14	-1.9661	< 0.02	-3.9120	2.72 1.0006
78	HRD	0.19	-1.6607	< 0.02	-3.9120	2.95 1.0818
79	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.68 -0.3857

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
-- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Antimony Treated	(LN)	Arsenic Treated	(LN)	Barium Treated	(LN)	Beryllium Treated	(LN)	Cadmium Treated	(LN)
80	HRD	< 0.1	-2.3026	< 0.02	-3.9120	0.65	-0.4308	< 0.002	-6.2146	< 0.02	-3.9120
81	HRD	0.15	-1.8971	< 0.02	-3.9120	2.27	0.8198	< 0.001	-6.9078	< 0.02	-3.9120
82	HRD	0.02	-3.9120	< 0.02	-3.9120	1.8	0.5878	< 0.001	-6.9078	< 0.02	-3.9120
83	HRD	< 0.1	-2.3026	< 0.02	-3.9120	3.6	1.2809	0.002	-6.2146	< 0.02	-3.9120
84	HRD	< 0.1	-2.3026	< 0.02	-3.9120	1.87	0.6259	0.002	-6.2146	< 0.02	-3.9120
85	HRD	0.16	-1.8326	< 0.02	-3.9120	1.57	0.4511	< 0.001	-6.9078	< 0.02	-3.9120
86	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.79	0.5822	< 0.001	-6.9078	< 0.02	-3.9120
87	HRD	< 0.01	-4.6052	< 0.02	-3.9120	3.09	1.1282	< 0.001	-6.9078	< 0.02	-3.9120
88	HRD	0.18	-1.7148	0.02	-3.9120	1.99	0.6881	< 0.001	-6.9078	< 0.02	-3.9120
89	HRD	0.24	-1.4271	< 0.02	-3.9120	1.68	0.5188	< 0.001	-6.9078	< 0.02	-3.9120
90	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.58	0.4574	< 0.001	-6.9078	< 0.02	-3.9120
91	HRD	< 0.01	-4.6052	< 0.02	-3.9120	3	1.0986	< 0.001	-6.9078	< 0.02	-3.9120
92	HRD	0.06	-2.8134	< 0.02	-3.9120	1.51	0.4121	< 0.001	-6.9078	< 0.02	-3.9120
93	HRD	< 0.01	-4.6052	< 0.02	-3.9120	3	1.0986	< 0.001	-6.9078	< 0.02	-3.9120
94	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.93	1.0750	< 0.001	-6.9078	< 0.02	-3.9120
95	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.33	-1.1087	< 0.001	-6.9078	< 0.02	-3.9120
96	HRD	0.03	-3.5066	< 0.02	-3.9120	0.39	-0.9416	< 0.001	-6.9078	< 0.02	-3.9120
97	HRD	0.13	-2.0402	< 0.02	-3.9120	0.91	-0.0943	0.006	-5.1160	< 0.02	-3.9120
98	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.11	0.1044	< 0.001	-6.9078	< 0.02	-3.9120
99	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.78	-0.2485	< 0.001	-6.9078	< 0.02	-3.9120
100	HRD	0.03	-3.5066	< 0.02	-3.9120	0.91	-0.0943	< 0.001	-6.9078	< 0.02	-3.9120
101	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.09	0.7372	< 0.001	-6.9078	< 0.02	-3.9120
102	HRD	0.02	-3.9120	< 0.02	-3.9120	0.27	-1.3093	< 0.001	-6.9078	< 0.02	-3.9120
103	HRD	0.02	-3.9120	< 0.02	-3.9120	0.76	-0.2744	< 0.001	-6.9078	< 0.02	-3.9120
104	HRD	0.24	-1.4271	< 0.02	-3.9120	3.32	1.2000	< 0.001	-6.9078	< 0.02	-3.9120
105	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.97	0.6780	< 0.001	-6.9078	< 0.02	-3.9120
106	HRD	0.13	-2.0402	< 0.02	-3.9120	1.49	0.3988	< 0.001	-6.9078	< 0.02	-3.9120
107	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.73	-0.3147	< 0.001	-6.9078	< 0.02	-3.9120
108	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.54	0.4318	< 0.001	-6.9078	< 0.02	-3.9120
109	HRD	0.06	-2.8134	0.03	-3.5066	1	0.0000	< 0.001	-6.9078	< 0.02	-3.9120
110	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.74	1.0080	< 0.001	-6.9078	< 0.02	-3.9120
111	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.15	0.7655	< 0.001	-6.9078	< 0.02	-3.9120
112	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.81	0.5933	< 0.001	-6.9078	< 0.02	-3.9120
113	HRD	0.01	-4.6052	< 0.02	-3.9120	1.19	0.1740	< 0.001	-6.9078	< 0.02	-3.9120
114	HRD	0.07	-2.6593	< 0.02	-3.9120	0.99	-0.0101	< 0.001	-6.9078	< 0.02	-3.9120
115	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.45	0.3716	< 0.001	-6.9078	< 0.02	-3.9120
116	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.02	0.7031	< 0.001	-6.9078	< 0.02	-3.9120
117	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.22	0.1989	< 0.001	-6.9078	< 0.02	-3.9120
118	HRD	0.17	-1.7720	< 0.02	-3.9120	0.81	-0.2107	< 0.001	-6.9078	< 0.02	-3.9120
119	HRD	0.01	-4.6052	< 0.02	-3.9120	1.73	0.5481	< 0.001	-6.9078	< 0.02	-3.9120
120	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.76	0.5653	< 0.001	-6.9078	< 0.02	-3.9120
121	HRD	0.1	-2.3026	< 0.02	-3.9120	1.42	0.3507	< 0.001	-6.9078	< 0.02	-3.9120
122	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.56	0.4447	< 0.001	-6.9078	< 0.02	-3.9120
123	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.47	0.3853	< 0.001	-6.9078	< 0.02	-3.9120
124	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.77	0.5710	< 0.001	-6.9078	< 0.02	-3.9120
125	HRD	0.13	-2.0402	< 0.02	-3.9120	1.26	0.2311	< 0.001	-6.9078	< 0.02	-3.9120
126	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.06	0.7227	< 0.001	-6.9078	< 0.02	-3.9120
127	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.96	1.0852	< 0.001	-6.9078	< 0.02	-3.9120
128	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.67	-0.4005	< 0.001	-6.9078	< 0.02	-3.9120
129	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.81	0.5933	< 0.001	-6.9078	< 0.02	-3.9120
130	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.44	-0.8210	< 0.001	-6.9078	< 0.02	-3.9120
131	HRD	< 0.01	-4.6052	< 0.02	-3.9120	4.69	1.5454	< 0.001	-6.9078	< 0.02	-3.9120
132	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.99	-0.0101	< 0.001	-6.9078	< 0.02	-3.9120
133	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.47	-0.7550	< 0.001	-6.9078	< 0.02	-3.9120
134	HRD	0.19	-1.6607	< 0.02	-3.9120	1.54	0.4318	< 0.001	-6.9078	< 0.02	-3.9120
135	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.23	0.8020	< 0.001	-6.9078	< 0.02	-3.9120
136	HRD	< 0.01	-4.6052	< 0.02	-3.9120	3.34	1.2060	< 0.001	-6.9078	< 0.02	-3.9120
137	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.06	0.7227	< 0.001	-6.9078	< 0.02	-3.9120
138	HRD	< 0.01	-4.6052	< 0.02	-3.9120	2.26	0.8154	< 0.001	-6.9078	< 0.02	-3.9120
139	HRD	0.12	-2.1203	< 0.02	-3.9120	2.41	0.8796	< 0.001	-6.9078	< 0.02	-3.9120
140	HRD	< 0.01	-4.6052	< 0.02	-3.9120	4.18	1.4303	< 0.001	-6.9078	< 0.02	-3.9120
141	HRD	< 0.01	-4.6052	< 0.02	-3.9120	3.23	1.1725	< 0.001	-6.9078	< 0.02	-3.9120
142	HRD	0.03	-3.5066	< 0.02	-3.9120	2.41	0.8796	< 0.001	-6.9078	< 0.02	-3.9120
143	HRD	0.13	-2.0402	< 0.02	-3.9120	1.69	0.5247	< 0.001	-6.9078	< 0.02	-3.9120
144	HRD	< 0.01	-4.6052	< 0.02	-3.9120	4	1.3863	< 0.001	-6.9078	< 0.02	-3.9120
145	HRD	< 0.01	-4.6052	< 0.02	-3.9120	3.34	1.2060	< 0.001	-6.9078	< 0.02	-3.9120
146	HRD	< 0.01	-4.6052	< 0.02	-3.9120	1.05	0.0488	< 0.001	-6.9078	< 0.02	-3.9120
147	HRD	< 0.01	-4.6052	< 0.02	-3.9120	0.96	-0.0408	< 0.001	-6.9078	< 0.02	-3.9120
148	HRD	0.19	-1.6607	< 0.02	-3.9120	0.73	-0.3147	< 0.001	-6.9078	< 0.02	-3.9120
149	HRD	< 0.01	-4.6052	< 0.02	-3.9120	3.41	1.2267	< 0.001	-6.9078	< 0.02	-3.9120
150	HRD	0.11	-2.2073	< 0.02	-3.9120	1.68	0.5188	< 0.001	-6.9078	< 0.02	-3.9120
151	HRD	0.05	-2.9957	< 0.02	-3.9120	1.52	0.4187	< 0.001	-6.9078	< 0.02	-3.9120
152	HRD	< 0.01	-4.6052	< 0.02	-3.9120	3.45	1.2384	< 0.001	-6.9078	< 0.02	-3.9120
1	INMETCO	0.01	-4.6052	0.01	-4.6052	1.26	0.2311	0.01	-4.6052	0.01	-4.6052
2	INMETCO	0.01	-4.6052	0.01	-4.6052	0.58	-0.5447	0.01	-4.6052	0.01	-4.6052
3	INMETCO	0.01	-4.6052	0.01	-4.6052	1.81	0.5933	0.01	-4.6052	0.01	-4.6052
4	INMETCO	0.01	-4.6052	0.01	-4.6052	0.92	-0.0834	0.01	-4.6052	0.01	-4.6052

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Antimony Treated (LN)	Arsenic Treated (LN)	Barium Treated (LN)	Beryllium Treated (LN)	Cadmium Treated (LN)
7	INMETCO	0.01	-4.6052	1.52	0.4187	0.01
8	INMETCO	0.01	-4.6052	1.16	0.1484	0.01
9	INMETCO	0.01	-4.6052	0.6	-0.5108	0.01
10	INMETCO	0.01	-4.6052	0.81	-0.2107	0.01
11	INMETCO	0.01	-4.6052	0.95	-0.0513	0.01
12	INMETCO	0.01	-4.6052	0.46	-0.7765	0.01
13	INMETCO	0.03	-3.5066	0.68	-0.3857	0.01
14	INMETCO	0.03	-3.5066	0.36	-1.0217	0.01
15	INMETCO	0.02	-3.9120	0.89	-0.1165	0.01
16	INMETCO	0.01	-4.6052	0.26	-1.3471	0.01
17	INMETCO	0.01	-4.6052	0.26	-1.3471	0.01
18	INMETCO	0.01	-4.6052	0.29	-1.2379	0.01
19	INMETCO	0.01	-4.6052	0.01	-4.6052	0.01
20	INMETCO	0.01	-4.6052	0.45	-0.7985	0.01
21	INMETCO	0.01	-4.6052	0.51	-0.6733	0.01
22	INMETCO	0.053	-2.9375	1.1	0.0953	0.01
23	INMETCO	0.01	-4.6052	1.2	0.1823	0.01
24	INMETCO	0.01	-4.6052	0.63	-0.4620	0.01
25	INMETCO	0.042	-3.1701	0.33	-1.1087	0.01
26	INMETCO	0.01	-4.6052	0.5	-0.6931	0.01
27	INMETCO	0.01	-4.6052	0.38	-0.9676	0.01
28	INMETCO	0.01	-4.6052	0.63	-0.4620	0.01
29	INMETCO	0.02	-3.9120	0.42	-0.8675	0.01
30	INMETCO	0.02	-3.9120	0.61	-0.4943	0.01
31	INMETCO	0.01	-4.6052	0.69	-0.3711	0.01
32	INMETCO	0.02	-3.9120	0.65	-0.4308	0.01
33	INMETCO	0.01	-4.6052	3.59	1.2782	0.04
34	INMETCO	0.06	-2.8134	3.23	1.1725	0.01
35	INMETCO	0.01	-4.6052	1.59	0.4637	0.01
36	INMETCO	0.01	-4.6052	1.45	0.3716	0.01
37	INMETCO	0.02	-3.9120	0.59	-0.5276	0.01
38	INMETCO	0.01	-4.6052	0.32	-1.1394	0.01
39	INMETCO	0.01	-4.6052	0.95	-0.0513	0.01
40	INMETCO	0.01	-4.6052	0.33	-1.1087	0.01
41	INMETCO					
42	INMETCO					
43	INMETCO					
44	INMETCO					
45	INMETCO					
46	INMETCO					
47	INMETCO					
48	INMETCO					
49	INMETCO					
50	INMETCO					
51	INMETCO					
52	INMETCO					
53	INMETCO					
54	INMETCO					
55	INMETCO					
56	INMETCO					
57	INMETCO					
58	INMETCO					
59	INMETCO					
60	INMETCO					
61	INMETCO					
62	INMETCO					
63	INMETCO					
64	INMETCO					
65	INMETCO					
66	INMETCO					
67	INMETCO					
68	INMETCO					
69	INMETCO					
70	INMETCO					
71	INMETCO					
72	INMETCO					
73	INMETCO					
74	INMETCO					
75	INMETCO					
76	INMETCO					
77	INMETCO					
78	INMETCO					
79	INMETCO					
80	INMETCO					
81	INMETCO					
82	INMETCO					
83	INMETCO					
84	INMETCO					
85	INMETCO					

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Antimony Treated	(LN)	Arsenic Treated	(LN)	Barium Treated	(LN)	Beryllium Treated	(LN)	Cadmium Treated	(LN)
86	INMETCO										
87	INMETCO										
88	INMETCO										
89	INMETCO										
90	INMETCO										
91	INMETCO										
92	INMETCO										
93	INMETCO										
94	INMETCO										
95	INMETCO										
96	INMETCO										
97	INMETCO										
98	INMETCO										
99	INMETCO										
100	INMETCO										
101	INMETCO										
102	INMETCO										
103	INMETCO										
104	INMETCO										
105	INMETCO										
106	INMETCO										
107	INMETCO										
108	INMETCO										
109	INMETCO										
110	INMETCO										
111	INMETCO										
112	INMETCO										
113	INMETCO										
114	INMETCO										
115	INMETCO										
116	INMETCO										
117	INMETCO										
118	INMETCO										
119	INMETCO										
120	INMETCO										
121	INMETCO										
122	INMETCO										
	# of Obs:	192	192	186	186	185	185	187	187	183	183
	# of NDs:	95		137		0		143		152	
	Minimum:	0.0100	-4.6052	0.0100	-4.6052	0.2600	-1.3471	0.0010	-6.9078	0.0100	-4.6052
	Mean:	0.0560	-3.5604	0.0184	-4.0331	1.5702	0.2413	0.0028	-6.4301	0.0191	-3.9865
	Maximum:	0.2500	-1.3863	0.0300	-3.5066	4.9400	1.5974	0.0100	-4.6052	0.0400	-3.2189
	Std:	0.0617	1.1840	0.0045	0.2900	0.9643	0.6891	0.0035	0.9065	0.0040	0.2478
	VF:	8.02		1.89		4.04		4.80		1.73	
	TS:	0.45		0.035		6.3		0.013		0.033	

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
-- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Chromium Treated (LN)	Lead Treated (LN)	Mercury Treated (LN)	Nickel Treated (LN)
1	HRD	< 0.1	-2.3026	0.16 -1.8326	< 0.01 -4.6052
2	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
3	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
4	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
5	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
6	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
7	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
8	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
9	HRD	< 0.1	-2.3026	0.03 -3.5066	< 0.01 -4.6052
10	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
11	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
12	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
13	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
14	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
15	HRD	< 0.1	-2.3026	0.06 -2.8134	< 0.01 -4.6052
16	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
17	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
18	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
19	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
20	HRD	< 0.1	-2.3026	0.15 -1.8971	< 0.01 -4.6052
21	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
22	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
23	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
24	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
25	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
26	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
27	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
28	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
29	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
30	HRD	< 0.1	-2.3026	0.14 -1.9661	< 0.01 -4.6052
31	HRD	< 0.1	-2.3026	0.11 -2.2073	< 0.01 -4.6052
32	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
33	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
34	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
35	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
36	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
37	HRD	< 0.1	-2.3026	0.12 -2.1203	< 0.01 -4.6052
38	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
39	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
40	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
41	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
42	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
43	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
44	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
45	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
46	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
47	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
48	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
49	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
50	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
51	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
52	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
53	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
54	HRD	< 0.1	-2.3026	0.06 -2.8134	< 0.01 -4.6052
55	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
56	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
57	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
58	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
59	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
60	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
61	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
62	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
63	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
64	HRD	< 0.1	-2.3026	0.02 -3.9120	< 0.01 -4.6052
65	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
66	HRD	< 0.1	-2.3026	0.01 -4.6052	< 0.01 -4.6052
67	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
68	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
69	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
70	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
71	HRD	0.12	-2.1203	< 0.1 -2.3026	< 0.01 -4.6052
72	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052
73	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
74	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
75	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
76	HRD	< 0.1	-2.3026	0.11 -2.2073	< 0.01 -4.6052
77	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
78	HRD	< 0.1	-2.3026	< 0.01 -4.6052	< 0.01 -4.6052
79	HRD	< 0.1	-2.3026	< 0.1 -2.3026	< 0.01 -4.6052

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
-- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Chromium Treated (LN)	Lead Treated (LN)	Mercury Treated (LN)	Nickel Treated (LN)
80	HRD	< 0.1 -2.3026	< 0.1 -2.3026	< 0.01 -4.6052	< 0.05 -2.9957
81	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
82	HRD	< 0.1 -2.3026	0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
83	HRD	< 0.1 -2.3026	< 0.1 -2.3026	< 0.01 -4.6052	0.08 -2.5257
84	HRD	< 0.1 -2.3026	< 0.1 -2.3026	< 0.01 -4.6052	0.07 -2.6593
85	HRD	< 0.1 -2.3026	0.02 -3.9120	< 0.01 -4.6052	< 0.05 -2.9957
86	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
87	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
88	HRD	< 0.1 -2.3026	0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
89	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
90	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
91	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
92	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
93	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
94	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
95	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
96	HRD	< 0.1 -2.3026	0.07 -2.6593	< 0.01 -4.6052	0.09 -2.4079
97	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
98	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
99	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
100	HRD	< 0.1 -2.3026	0.02 -3.9120	< 0.01 -4.6052	0.12 -2.1203
101	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
102	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
103	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
104	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
105	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
106	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
107	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
108	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
109	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
110	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
111	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
112	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	0.26 -1.3471
113	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
114	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
115	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
116	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
117	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	0.07 -2.6593
118	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
119	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
120	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
121	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
122	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
123	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
124	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
125	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
126	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
127	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
128	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
129	HRD	< 0.1 -2.3026	0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
130	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
131	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
132	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
133	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
134	HRD	< 0.1 -2.3026	0.06 -2.8134	< 0.01 -4.6052	0.09 -2.4079
135	HRD	< 0.1 -2.3026	0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
136	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
137	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
138	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
139	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	0.06 -2.8134
140	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
141	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
142	HRD	0.12 -2.1203	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
143	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	0.09 -2.4079
144	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
145	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
146	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
147	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
148	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	0.11 -2.2073
149	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
150	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	0.12 -2.1203
151	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	0.12 -2.1203
152	HRD	< 0.1 -2.3026	< 0.01 -4.6052	< 0.01 -4.6052	< 0.05 -2.9957
1	INMETCO		0.03 -3.5066		3.54 1.2641
2	INMETCO		0.02 -3.9120		4.51 1.5063
3	INMETCO		0.01 -4.6052		2.32 0.8416
4	INMETCO		0.01 -4.6052		1.7 0.5306
5	INMETCO	0.09 -2.4079	0.05 -2.9957		2.79 1.0260
6	INMETCO	0.11 -2.2073	0.01 -4.6052		3.8 1.3350

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
-- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Chromium Treated (LN)	Lead Treated (LN)	Mercury Treated (LN)	Nickel Treated (LN)
7	INMETCO	0.07	-2.6593	0.03	-3.5066
8	INMETCO	0.07	-2.6593	0.04	-3.2189
9	INMETCO	0.04	-3.2189	0.02	-3.9120
10	INMETCO	0.04	-3.2189	0.02	-3.9120
11	INMETCO			0.14	-1.9661
12	INMETCO	0.04	-3.2189	0.02	-3.9120
13	INMETCO	0.04	-3.2189	0.04	-3.2189
14	INMETCO			0.03	-3.5066
15	INMETCO	0.07	-2.6593	0.02	-3.9120
16	INMETCO			0.01	-4.6052
17	INMETCO	0.04	-3.2189	0.01	-4.6052
18	INMETCO	0.11	-2.2073	0.04	-3.2189
19	INMETCO	0.14	-1.9661	0.04	-3.2189
20	INMETCO	0.07	-2.6593	0.03	-3.5066
21	INMETCO			0.05	-2.9957
22	INMETCO			0.01	-4.6052
23	INMETCO			0.01	-4.6052
24	INMETCO			0.01	-4.6052
25	INMETCO	0.07	-2.6593	0.02	-3.9120
26	INMETCO	0.06	-2.8134	0.02	-3.9120
27	INMETCO	0.07	-2.6593	0.02	-3.9120
28	INMETCO	0.07	-2.6593	0.02	-3.9120
29	INMETCO	0.08	-2.5257	0.07	-2.6593
30	INMETCO	0.08	-2.5257	0.05	-2.9957
31	INMETCO	0.16	-1.8326	0.05	-2.9957
32	INMETCO			0.06	-2.8134
33	INMETCO	0.2	-1.6094	0.03	-3.5066
34	INMETCO	0.09	-2.4079	0.03	-3.5066
35	INMETCO	0.08	-2.5257	0.03	-3.5066
36	INMETCO	0.12	-2.1203	0.03	-3.5066
37	INMETCO	0.06	-2.8134	0.01	-4.6052
38	INMETCO			0.01	-4.6052
39	INMETCO	0.07	-2.6593	0.05	-2.9957
40	INMETCO	0.07	-2.6593	0.01	-4.6052
41	INMETCO				1.16 0.1484
42	INMETCO				0.85 -0.1625
43	INMETCO				0.51 -0.6733
44	INMETCO				1.56 0.4447
45	INMETCO				1.43 0.3577
46	INMETCO				3.32 1.2000
47	INMETCO				1.05 0.0488
48	INMETCO				1.33 0.2852
49	INMETCO				2.53 0.9282
50	INMETCO				3.1 1.1314
51	INMETCO				0.65 -0.4308
52	INMETCO				0.22 -1.5141
53	INMETCO				5.5 1.7047
54	INMETCO				1.97 0.6780
55	INMETCO				0.84 -0.1744
56	INMETCO				0.2 -1.6094
57	INMETCO				0.96 -0.0408
58	INMETCO				1.92 0.6523
59	INMETCO				0.27 -1.3093
60	INMETCO				0.88 -0.1278
61	INMETCO				0.2 -1.6094
62	INMETCO				4.55 1.5151
63	INMETCO				1.28 0.2469
64	INMETCO				1.47 0.3853
65	INMETCO				0.71 -0.3425
66	INMETCO				0.52 -0.6539
67	INMETCO				0.33 -1.1087
68	INMETCO				1.09 0.0862
69	INMETCO				1.03 0.0296
70	INMETCO				1.2 0.1823
71	INMETCO				1 0.0000
72	INMETCO				0.88 -0.1278
73	INMETCO				3.48 1.2470
74	INMETCO				5.78 1.7544
75	INMETCO				4.72 1.5518
76	INMETCO				5.48 1.7011
77	INMETCO				4.63 1.5326
78	INMETCO				2.71 0.9969
79	INMETCO				4.4 1.4816
80	INMETCO				9.81 2.2834
81	INMETCO				7.3 1.9879
82	INMETCO				5.66 1.7334
83	INMETCO				5.12 1.6332
84	INMETCO				2.82 1.0367
85	INMETCO				2.83 1.0403

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Chromium Treated (LN)	Lead Treated (LN)	Mercury Treated (LN)	Nickel Treated (LN)
86	INMETCO				1.79 0.5822
87	INMETCO				2.34 0.8502
88	INMETCO				2.47 0.9042
89	INMETCO				3.75 1.3218
90	INMETCO				2.77 1.0188
91	INMETCO				4.8 1.5686
92	INMETCO				4.61 1.5282
93	INMETCO				4.4 1.4816
94	INMETCO				2.95 1.0818
95	INMETCO				2.11 0.7467
96	INMETCO				1.18 0.1655
97	INMETCO				2.37 0.8629
98	INMETCO				1.43 0.3577
99	INMETCO				4.34 1.4679
100	INMETCO				2.1 0.7419
101	INMETCO				1.64 0.4947
102	INMETCO				0.46 -0.7765
103	INMETCO				3.92 1.3661
104	INMETCO				1.81 0.5933
105	INMETCO				2 0.6931
106	INMETCO				7.21 1.9755
107	INMETCO				2.36 0.8587
108	INMETCO				4.04 1.3962
109	INMETCO				8.62 2.1541
110	INMETCO				1.3 0.2624
111	INMETCO				1.67 0.5128
112	INMETCO				1.55 0.4383
113	INMETCO				1.37 0.3148
114	INMETCO				3.69 1.3056
115	INMETCO				3.21 1.1663
116	INMETCO				3.75 1.3218
117	INMETCO				1.85 0.6152
118	INMETCO				2.19 0.7839
119	INMETCO				2.87 1.0543
120	INMETCO				4.16 1.4255
121	INMETCO				8.77 2.1713
122	INMETCO				3.01 1.1019
	# of Obs:	179	179	182	182
	# of NDs:	150		123	
	Minimum:	0.0400	-3.2189	0.0100	-4.6052
	Mean:	0.0975	-2.3442	0.0327	-3.9416
	Maximum:	0.2000	-1.6094	0.1600	-1.8326
	Std:	0.0161	0.1934	0.0378	0.9461
	VF:	1.54		5.38	
	TS:	0.15		0.18	
				2.80	20.04
				0.028	26

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
-- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Selenium Treated (LN)	Silver Treated (LN)	Thallium Treated (LN)	Vanadium Treated (LN)	Zinc Treated (LN)
1	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.77 -0.2614
2	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
3	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.23 -1.4697
4	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		0.01 -4.6052
5	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.2 -1.6094
6	HRD	0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.39 -0.9416
7	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.06 -2.8134
8	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.27 -1.3093
9	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.41 -0.8916
10	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.25 -1.3863
11	HRD	0.03 -3.5066	< 0.01 -4.6052	< 0.03 -3.5066		0.13 -2.0402
12	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
13	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.2 -1.6094
14	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.14 -1.9661
15	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.2 -1.6094
16	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
17	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.12 -2.1203
18	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.08 -2.5257
19	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.19 -1.6607
20	HRD	< 0.02 -3.9120		< 0.03 -3.5066		0.1 -2.3026
21	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.1 -2.3026
22	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		
23	HRD	< 0.02 -3.9120	0.08 -2.5257	< 0.03 -3.5066		< 0.01 -4.6052
24	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.31 -1.1712
25	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		1.27 0.2390
26	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.14 -1.9661
27	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.32 -1.1394
28	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.16 -1.8326
29	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
30	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.42 -0.8675
31	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
32	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.26 -1.3471
33	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.16 -1.8326
34	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
35	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.11 -2.2073
36	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		< 0.01 -4.6052
37	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.12 -2.1203
38	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.54 -0.6162
39	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
40	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.13 -2.0402
41	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.08 -2.5257
42	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.19 -1.6607
43	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.02 -3.9120
44	HRD	< 0.02 -3.9120	0.05 -2.9957	< 0.03 -3.5066		0.11 -2.2073
45	HRD	< 0.02 -3.9120	0.03 -3.5066	< 0.03 -3.5066		0.27 -1.3093
46	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.07 -2.6593
47	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
48	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
49	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
50	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
51	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		
52	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.21 -1.5606
53	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.17 -1.7720
54	HRD	< 0.02 -3.9120		< 0.03 -3.5066		
55	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.22 -1.5141
56	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
57	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.16 -1.8326
58	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		0.34 -1.0788
59	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
60	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.1 -2.3026
61	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066		0.1 -2.3026
62	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
63	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.16 -1.8326
64	HRD	0.02 -3.9120		< 0.03 -3.5066		0.44 -0.8210
65	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.11 -2.2073
66	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		0.2 -1.6094
67	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.23 -1.4697
68	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
69	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.44 -0.8210
70	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.19 -1.6607
71	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.14 -1.9661
72	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
73	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.75 -0.2877
74	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.2 -1.6094
75	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.33 -1.1087
76	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.07 -2.6593
77	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		< 0.01 -4.6052
78	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		
79	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
-- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Selenium Treated (LN)	Silver Treated (LN)	Thallium Treated (LN)	Vanadium Treated (LN)	Zinc Treated (LN)
80	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.59 -0.5276
81	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.31 -1.1712
82	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		0.06 -2.8134
83	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
84	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
85	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.14 -1.9661
86	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		0.12 -2.1203
87	HRD	< 0.02 -3.9120	0.03 -3.5066	< 0.03 -3.5066		0.27 -1.3093
88	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.05 -2.9957
89	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		0.11 -2.2073
90	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		0.23 -1.4697
91	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.01 -4.6052
92	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
93	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
94	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
95	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.05 -2.9957
96	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.63 -0.4620
97	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		0.06 -2.8134
98	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
99	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
100	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066		
101	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066	< 0.01 -4.6052	
102	HRD	0.07 -2.6593	0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
103	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
104	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.12 -2.1203	
105	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.03 -3.5066	
106	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066	0.67 -0.4005	
107	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.04 -3.2189	
108	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.29 -1.2379	
109	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.12 -2.1203	
110	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.07 -2.6593	
111	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.13 -2.0402	
112	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.94 -0.0619	
113	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.06 -2.8134	
114	HRD	0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.18 -1.7148	
115	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.02 -3.9120	
116	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.14 -1.9661	
117	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.91 -0.0943	
118	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.06 -2.8134	
119	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.1 -2.3026	
120	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.04 -3.2189	
121	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
122	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.21 -1.5606	
123	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.16 -1.8326	
124	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
125	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
126	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
127	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.15 -1.8971	
128	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
129	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066	0.11 -2.2073	
130	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
131	HRD	< 0.02 -3.9120	0.02 -3.9120	< 0.03 -3.5066	0.17 -1.7720	
132	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
133	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
134	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.22 -1.5141	
135	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.07 -2.6593	
136	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.21 -1.5606	
137	HRD	< 0.02 -3.9120	0.04 -3.2189	< 0.03 -3.5066	0.02 -3.9120	
138	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066	0.06 -2.8134	
139	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.08 -2.5257	
140	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.11 -2.2073	
141	HRD	< 0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066	0.17 -1.7720	
142	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.29 -1.2379	
143	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	1.55 0.4383	
144	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.23 -1.4697	
145	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.16 -1.8326	
146	HRD	0.02 -3.9120	0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
147	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.02 -3.9120	
148	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	2.01 0.6981	
149	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	< 0.01 -4.6052	
150	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		
151	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066		
152	HRD	< 0.02 -3.9120	< 0.01 -4.6052	< 0.03 -3.5066	0.01 -4.6052	
1	INMETCO	0.09 -2.4079	0.03 -3.5066		0.0100 -4.6052	0.0200 -3.9120
2	INMETCO	0.04 -3.2189	0.03 -3.5066		0.0100 -4.6052	0.2500 -1.3863
3	INMETCO	0.03 -3.5066	0.01 -4.6052		0.0100 -4.6052	0.0100 -4.6052
4	INMETCO	0.05 -2.9957	0.01 -4.6052		0.0100 -4.6052	0.0100 -4.6052
5	INMETCO	0.03 -3.5066	0.02 -3.9120		0.0100 -4.6052	0.2700 -1.3093
6	INMETCO	0.06 -2.8134	0.03 -3.5066		0.0100 -4.6052	1.6500 0.5008

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
-- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Selenium Treated (LN)	Silver Treated (LN)	Thallium Treated (LN)	Vanadium Treated (LN)	Zinc Treated (LN)
7	INMETCO	0.03 -3.5066	0.02 -3.9120		0.0100 -4.6052	0.1400 -1.9661
8	INMETCO	0.09 -2.4079			0.0100 -4.6052	0.4400 -0.8210
9	INMETCO		0.02 -3.9120		0.0100 -4.6052	0.3600 -1.0217
10	INMETCO		0.02 -3.9120		0.0100 -4.6052	0.2900 -1.2379
11	INMETCO		0.02 -3.9120		0.0100 -4.6052	0.1100 -2.2073
12	INMETCO	0.07 -2.6593	0.02 -3.9120		0.0100 -4.6052	0.0500 -2.9957
13	INMETCO	0.09 -2.4079	0.01 -4.6052		0.0100 -4.6052	0.1100 -2.2073
14	INMETCO	0.05 -2.9957	0.02 -3.9120		0.0100 -4.6052	0.0300 -3.5066
15	INMETCO	0.05 -2.9957	0.01 -4.6052		0.0100 -4.6052	0.0700 -2.6593
16	INMETCO	0.01 -4.6052	0.01 -4.6052		0.0100 -4.6052	0.2900 -1.2379
17	INMETCO	0.04 -3.2189	0.02 -3.9120		0.0100 -4.6052	0.0200 -3.9120
18	INMETCO	0.05 -2.9957	0.02 -3.9120		0.0100 -4.6052	0.1600 -1.8326
19	INMETCO	0.02 -3.9120	0.02 -3.9120		0.0100 -4.6052	0.3700 -0.9943
20	INMETCO	0.03 -3.5066	0.02 -3.9120		0.0100 -4.6052	0.2100 -1.5606
21	INMETCO	0.02 -3.9120	0.02 -3.9120		0.0100 -4.6052	0.0100 -4.6052
22	INMETCO		0.01 -4.6052		0.0100 -4.6052	0.0100 -4.6052
23	INMETCO	0.09 -2.4079	0.03 -3.5066		0.0100 -4.6052	0.0100 -4.6052
24	INMETCO	0.09 -2.4079	0.02 -3.9120		0.0100 -4.6052	0.0100 -4.6052
25	INMETCO	0.03 -3.5066	0.03 -3.5066		0.0100 -4.6052	0.3200 -1.1394
26	INMETCO	0.05 -2.9957	0.03 -3.5066		0.0100 -4.6052	0.0700 -2.6593
27	INMETCO	0.03 -3.5066	0.03 -3.5066		0.0100 -4.6052	0.2900 -1.2379
28	INMETCO	0.04 -3.2189	0.03 -3.5066		0.0100 -4.6052	0.5500 -0.5978
29	INMETCO	0.08 -2.5257	0.03 -3.5066		0.0100 -4.6052	0.3500 -1.0498
30	INMETCO	0.03 -3.5066	0.04 -3.2189		0.0100 -4.6052	0.2100 -1.5606
31	INMETCO	0.027 -3.6119	0.04 -3.2189		0.0100 -4.6052	0.2500 -1.3863
32	INMETCO	0.009 -4.7105	0.03 -3.5066		0.0100 -4.6052	0.2200 -1.5141
33	INMETCO	0.041 -3.1942	0.03 -3.5066		0.0100 -4.6052	0.3700 -0.9943
34	INMETCO	< 0.01 -4.6052	0.03 -3.5066		0.0100 -4.6052	0.3600 -1.0217
35	INMETCO	< 0.01 -4.6052	0.03 -3.5066		0.0100 -4.6052	0.1700 -1.7720
36	INMETCO	< 0.01 -4.6052	0.04 -3.2189		0.0100 -4.6052	0.6000 -0.5108
37	INMETCO	< 0.01 -4.6052	0.02 -3.9120		0.0100 -4.6052	0.0400 -3.2189
38	INMETCO	< 0.01 -4.6052	0.03 -3.5066			1.3500 0.3001
39	INMETCO	< 0.01 -4.6052	0.03 -3.5066		0.0100 -4.6052	0.2700 -1.3093
40	INMETCO	< 0.01 -4.6052	0.03 -3.5066		0.0100 -4.6052	0.6500 -0.4308
41	INMETCO	0.09 -2.4079	0.07 -2.6593			
42	INMETCO	< 0.01 -4.6052	0.03 -3.5066			
43	INMETCO	< 0.01 -4.6052	0.05 -2.9957			
44	INMETCO	0.04 -3.2189	0.08 -2.5257			
45	INMETCO	0.09 -2.4079	0.06 -2.8134			
46	INMETCO	0.05 -2.9957	0.06 -2.8134			
47	INMETCO	0.05 -2.9957	0.01 -4.6052			
48	INMETCO	0.06 -2.8134				
49	INMETCO	< 0.01 -4.6052	0.04 -3.2189			
50	INMETCO	< 0.01 -4.6052				
51	INMETCO	< 0.01 -4.6052	0.03 -3.5066			
52	INMETCO	< 0.01 -4.6052	0.05 -2.9957			
53	INMETCO		0.01 -4.6052			
54	INMETCO		0.01 -4.6052			
55	INMETCO	0.09 -2.4079	0.01 -4.6052			
56	INMETCO	0.09 -2.4079	0.07 -2.6593			
57	INMETCO	0.08 -2.5257	0.01 -4.6052			
58	INMETCO	0.03 -3.5066	0.01 -4.6052			
59	INMETCO	0.05 -2.9957	0.01 -4.6052			
60	INMETCO	0.06 -2.8134	0.02 -3.9120			
61	INMETCO	0.07 -2.6593	0.01 -4.6052			
62	INMETCO		0.01 -4.6052			
63	INMETCO		0.01 -4.6052			
64	INMETCO	0.07 -2.6593	0.01 -4.6052			
65	INMETCO		0.01 -4.6052			
66	INMETCO		0.01 -4.6052			
67	INMETCO		0.03 -3.5066			
68	INMETCO		0.07 -2.6593			
69	INMETCO	0.06 -2.8134	0.05 -2.9957			
70	INMETCO	< 0.01 -4.6052	0.01 -4.6052			
71	INMETCO	0.01 -4.6052	0.05 -2.9957			
72	INMETCO	< 0.01 -4.6052				
73	INMETCO	0.03 -3.5066				
74	INMETCO	0.07 -2.6593	0.05 -2.9957			
75	INMETCO	0.08 -2.5257				
76	INMETCO	0.05 -2.9957	0.04 -3.2189			
77	INMETCO	0.09 -2.4079	0.02 -3.9120			
78	INMETCO	0.01 -4.6052	0.04 -3.2189			
79	INMETCO	0.01 -4.6052	0.07 -2.6593			
80	INMETCO	< 0.01 -4.6052				
81	INMETCO	< 0.01 -4.6052	0.07 -2.6593			
82	INMETCO	< 0.01 -4.6052	0.02 -3.9120			
83	INMETCO	< 0.01 -4.6052	0.06 -2.8134			
84	INMETCO	< 0.01 -4.6052	0.03 -3.5066			
85	INMETCO	< 0.01 -4.6052	0.07 -2.6593			

Evaluation of TCLP Data Provided By Horsehead and INMETCO (mg/L)  
 -- Calculation of TS (Minus Statistical Outliers)

Samples	Waste	Selenium Treated (LN)		Silver Treated (LN)		Thallium Treated (LN)		Vanadium Treated (LN)		Zinc Treated (LN)	
86	INMETCO	<	0.01	-4.6052	0.03	-3.5066					
87	INMETCO		0.05	-2.9957	0.01	-4.6052					
88	INMETCO		0.04	-3.2189	0.02	-3.9120					
89	INMETCO		0.06	-2.8134	0.01	-4.6052					
90	INMETCO		0.06	-2.8134	0.01	-4.6052					
91	INMETCO		0.06	-2.8134	0.05	-2.9957					
92	INMETCO		0.05	-2.9957	0.02	-3.9120					
93	INMETCO		0.04	-3.2189	0.05	-2.9957					
94	INMETCO		0.05	-2.9957	0.02	-3.9120					
95	INMETCO		0.04	-3.2189	0.03	-3.5066					
96	INMETCO		0.05	-2.9957	0.01	-4.6052					
97	INMETCO		0.02	-3.9120	0.01	-4.6052					
98	INMETCO		0.02	-3.9120	0.01	-4.6052					
99	INMETCO		0.05	-2.9957	0.01	-4.6052					
100	INMETCO		0.07	-2.6593	0.01	-4.6052					
101	INMETCO		0.06	-2.8134	0.01	-4.6052					
102	INMETCO		0.05	-2.9957	0.01	-4.6052					
103	INMETCO		0.01	-4.6052	0.01	-4.6052					
104	INMETCO	<	0.01	-4.6052	0.01	-4.6052					
105	INMETCO	<	0.01	-4.6052	0.01	-4.6052					
106	INMETCO		0.02	-3.9120	0.04	-3.2189					
107	INMETCO		0.08	-2.5257	0.07	-2.6593					
108	INMETCO		0.05	-2.9957	0.06	-2.8134					
109	INMETCO		0.08	-2.5257	0.01	-4.6052					
110	INMETCO		0.06	-2.8134							
111	INMETCO		0.08	-2.5257	0.07	-2.6593					
112	INMETCO		0.02	-3.9120	0.01	-4.6052					
113	INMETCO		0.01	-4.6052	0.07	-2.6593					
114	INMETCO		0.05	-2.9957							
115	INMETCO		0.07	-2.6593							
116	INMETCO		0.07	-2.6593							
117	INMETCO		0.06	-2.8134							
118	INMETCO		0.06	-2.8134							
119	INMETCO		0.01	-4.6052							
120	INMETCO		0.01	-4.6052							
121	INMETCO		0.09	-2.4079							
122	INMETCO		0.07	-2.6593							
	# of Obs:	262	262	253	253	152	152	39	39	185	185
	# of NDs:	170		107		151		0		40	
	Minimum:	0.0090	-4.7105	0.0100	-4.6052	0.0300	-3.5066	0.0100	-4.6052	0.0100	-4.6052
	Mean:	0.0294	-3.7183	0.0191	-4.1909	0.0300	-3.5066	0.0100	-4.6052	0.2001	-2.5137
	Maximum:	0.0900	-2.4079	0.0800	-2.5257	0.0300	-3.5066	0.0100	-4.6052	2.0100	0.6981
	Std:	0.0210	0.5868	0.0160	0.6139	0.0000	0.0000	0.0000	0.0000	0.2925	1.4984
	VF:	3.24		3.32		2.80		2.80		13.28	
	TS:	0.095		0.063		0.084		0.028		2.7	